

ASSISTANT COMMISSIONER OF PATENTS
Box: New Application
Washington, D.C. 20231

Docket No. 30750

Date October 12, 2000

Transmitted herewith for filing under 35 U.S.C. 111 and 37. C.F.R. 1.53 is the patent application of:

INVENTOR(S): PAUL J. MILLER and ASIT K. JENA

FOR: METHOD, COMPUTER PROGRAM, AND SYSTEM FOR PUSHING FLIGHT INFORMATION TO PASSENGERS

Enclosed are:

☒ Certificate of Mailing with Express Mail Mailing Label No. EL618532607US

☒ 1 sheets of drawing(s)

☒ Combined Declaration and Power of Attorney (unsigned copy)

☐ An Assignment of the invention to WORLDSPAN, L.P. together with the recording fee of \$40.00

☐ A verified statement to establish small entity status under 37 CFR 1.9 and 37 CFR 1.27.

Information Disclosure Statement

The filing fee has been calculated as shown below:

	(Col. 1)	(Col. 2)
FOR:	NO. FILED	NO. EXTRA
BASIC FEE		
TOTAL CLAIMS	17-20=	* 0
INDEP. CLAIMS	4-3=	* 1
MULTIPLE DEPENDENT CLAIM PRESENT		

*If the difference in col. 1 is less than zero, enter "0" in Col. 2

SMALL ENTITY

RATE	FEE
	\$ 355.00
x 9	
x 40	
+135	
TOTAL	\$

OTHER THAN A
SMALL ENTITY

RATE	FEE
	\$ 710.00
x 18	
x 80	80.00
+270	
TOTAL	\$790.00

Please charge my Deposit Account No. 19-0522 in the amount of \$. A duplicate of this sheet is enclosed.

☒ A check in the amount of \$790.00 to cover the filing fee is enclosed.

☒ The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 19-0522. A duplicate of this sheet is enclosed.

☒ Any additional filing fees required under 37 CFR 1.16.

☒ Any patent application processing fees under 37 CFR 1.17.

☒ The Commissioner is hereby authorized to charge payment of the following fees during the pendency of this application or credit any overpayment to Deposit Account No. 19-0522. A duplicate copy of this sheet is enclosed.

☒ Any patent application processing fees under 37 CFR 1.16.

The issue fee set in 37 CFR 1.18 at or before the mailing of the Notice of Allowance, pursuant to 37 CFR 1.311(f).

☒ Any fees under 37 CFR 1.16 for presentation of extra claims.

By

Thomas B. Luebbering
Thomas B. Luebbering, Reg. No. 37,874



23589

PATENT TRADEMARK OFFICE

CERTIFICATION UNDER 37 C.F.R. 1.10

Enclosed for filing is the application for United States Letters Patent of PAUL J. MILLER, Attorney Docket No. 30750, entitled METHOD, COMPUTER PROGRAM, AND SYSTEM FOR PUSHING FLIGHT INFORMATION TO PASSENGERS, including: **Transmittal, Specification, Claims, Abstract, 1 sheet formal drawings, Combined Declaration and Power of Attorney (unsigned copy), \$790.00 filing fee, and return card.**

EL618532607US

"Express Mail" mailing number

October 12, 2000

Date of Deposit

I hereby certify that the above-noted papers are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. 1.10 on the date indicated above and is addressed to BOX NEW APPLICATION, Assistant Commissioner for Patents, Washington, DC 20231.

Katie Kurfman

Name of person mailing



Signature of person mailing

METHOD, COMPUTER PROGRAM, AND SYSTEM FOR PUSHING FLIGHT INFORMATION TO PASSENGERS

5

BACKGROUND OF THE INVENTION

1. FIELD OF THE INVENTION

The present invention relates to airline flight notification methods and systems. More particularly, the invention relates to a method, computer program, and
10 system for automatically pushing flight status information to passengers and/or their agents whenever an airline flight is delayed, cancelled, or otherwise subject to a status change.

2. DESCRIPTION OF THE PRIOR ART

Millions of airline flights are completed each year in the U.S. alone. Unfortunately, many airline flights are delayed, cancelled, or otherwise subject to status
15 changes due to severe weather, unscheduled aircraft repairs, and other causes.

Currently, no known systems or methods exist for automatically notifying passengers when their flights are subject to a status change. Passengers instead must
20 seek out such information by calling their travel agents, checking flight status reports, or by similar methods using the Internet. Most passengers do not bother to check the status of their flights until they get to the airport and therefore often must wait at the airport when flights are delayed and/or cancelled. Waiting long periods of time at airports is often cited as one of the primary complaints against the airline industry.

25

SUMMARY OF THE INVENTION

The present invention solves the above-described problems and provides a distinct advance in the art of flight status notification systems and methods. More particularly, the present invention provides a method, computer program, and system
30 for automatically pushing flight status information to passengers and/or their agents whenever an airline flight is delayed, cancelled, or otherwise subject to a status change so that the passengers can plan accordingly without having to seek out such information.

The invention is preferably implemented by a global airline distribution provider such as Worldspan, L.P. and can be used by any airline passenger who directly
35 or indirectly reserves a flight with the provider. A passenger first makes an airline

reservation and indicates whether he or she wishes to be automatically notified of flight status changes. If so, the passenger is instructed to provide contact information such as an e-mail address, a phone number, or a pager number.

5 The provider receives updated departure times for all known flights from a reliable source such as the FAA and compares the updated departure times to the scheduled departure times for the flights. If the updated departure time for a flight varies from the scheduled departure time by a predetermined amount, the provider automatically pushes flight status notification information to all passengers on the flight who indicated they wished to receive such information or to the passengers' agents.
10 The information is preferably pushed to the passengers' e-mail accounts, mobile digital phones, or pagers so that the passengers learn about flight arrival/departure time changes as early as possible, thus allowing the passengers to modify their travel plans accordingly. The invention may also be used to push flight status/schedule changes to passengers in a similar manner.

15 In a preferred embodiment, the invention is implemented with a computer program that instructs a host computer operated by the global airline distribution provider. The computer program includes: a code segment for receiving and storing in a database scheduled times of departure or arrival for substantially all U.S. airline flights departing or arriving within a certain time that the provider holds a confirmed booking for;
20 a code segment for receiving and storing in the database any updated times of departure or arrival for the flights; a code segment for comparing, for each of the flights, the scheduled time of departure or arrival to the updated time of departure or arrival; a code segment for flagging records in the database corresponding to flights in which the updated times of departure or arrival vary from the scheduled times of departure or
25 arrival by a predetermined amount of time; and a code segment for periodically querying all flagged records and pushing notification information to at least one passenger or an agent of the passenger on each flight corresponding to a record that has been flagged.

The present invention reduces the amount of time that travelers must wait at airports for delayed and/or cancelled flights and will therefore likely improve traveler
30 satisfaction levels. The present invention also allows global airline distribution providers to provide a new and valuable service to their airline passengers and to therefore possibly gain more business.

These and other important aspects of the present invention are described more fully in the detailed description below.

BRIEF DESCRIPTION OF THE DRAWING FIGURES

5 A preferred embodiment of the present invention is described in detail below with reference to the attached drawing figures, wherein:

Fig. 1 is a schematic diagram of computer equipment that may be used to implement certain steps of the present invention.

10 Fig. 2 depicts a flight status table or database that may be used in connection with the present invention.

Fig. 3 depicts an application notification table that may be used in connection with the present invention.

15 The drawing figures do not limit the present invention to the specific embodiments disclosed and described herein. The drawings are not necessarily to scale, emphasis instead being placed upon clearly illustrating the principles of the invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

20 The present invention can be implemented in hardware, software, firmware, or a combination thereof. In a preferred embodiment, however, the invention is implemented with a computer program and computer equipment broadly referred to by the numeral 10 in Fig. 1. The computer program and equipment illustrated and described herein are merely examples of a program and equipment that may be used to implement the present invention and may be replaced with other programs and
25 computer equipment without departing from the scope of the present invention.

The computer equipment 10 includes a host computer 12 that is preferably operated by a global airline distribution provider such as Worldspan, L.P. The host computer 12 may be part of an IBM Transaction Processing Facility (TPF) host and preferably consists of 8 IBM OS/390 mainframes loosely coupled together and operating
30 as one entity. The host computer 12 may be coupled with an OS/390 computer 14 having a scheduling utility function for populating a flight status table or database as depicted in Fig. 2 and described below.

The host computer 12 is also preferably coupled with mainframe computers 16 operated by partner airlines such as Delta, TWA, and Northwest and with mainframe computers 18 operated by other airlines with which the operator of the host computer 12 has a participating carrier agreement. The host computer 12 and
5 mainframe computers 16,18 are preferably connected by dedicated, high bandwidth, digital lines such as multiple T1 or T3 lines.

The host computer 12 may also be coupled with a gateway computer 20 and a database 22 for storing the flight status table. The gateway 20 is responsible for the connectivity between the host computer 12 and the flight status table and enables
10 real-time update fields to be populated with actual flight departure/arrival times as described in more detail below.

The computer equipment 10 also preferably includes customer computer systems 24 operated by customers or partners of the host computer 12 operator. The systems 24 are preferably connected to the host computer 12 by high bandwidth T1 or
15 T3 lines. Any number of systems 24 may be connected to the host computer 12. The customers may include, for example, Priceline.com, Expedia.com, QPAX, Intel, Air Media, Orbitz, Data Distribution, Trip Manager or travel agents. The customers are also referred to herein as "agents" of passengers.

The customer computer systems 24 are in turn coupled with computing
20 and/or communication devices 26 operated by airline passengers. The devices 26 may include any equipment capable of receiving messages via the present invention such as personal computers, pagers, or mobile phones. The devices 26 may be coupled to the customer computer systems 24 by any known communication networks 27 such as the Internet, wireless phone networks, the public switched telephone network (PSTN),
25 etc. The devices 26 may also be coupled directly with the host computer 12 via the networks 27 or other networks.

The computer equipment 10 also preferably includes an application messenger 28 coupled between the host computer 12 and the customer computer systems 24. The application messenger 28 is preferably (but not limited to) a MS
30 Windows NT server which supports an application notification table as depicted in Fig. 3 and described in more detail below.

The computer program of the present invention is stored in or on computer-readable medium residing on or accessible by the host computer 12 for

instructing the host computer 12 and the other components of equipment 10 to operate as described herein. The computer program preferably comprises an ordered listing of executable instructions for implementing logical functions in the host computer 12 or the computer equipment coupled with the host computer 12. The computer program can
5 be embodied in any computer-readable medium for use by or in connection with an instruction execution system, apparatus, or device, such as a computer-based system, processor-containing system, or other system that can fetch the instructions from the instruction execution system, apparatus, or device, and execute the instructions.

In the context of this application, a "computer-readable medium" can be
10 any means that can contain, store, communicate, propagate or transport the program for use by or in connection with the instruction execution system, apparatus, or device. The computer-readable medium can be, for example, but not limited to, an electronic, magnetic, optical, electro-magnetic, infrared, or semi-conductor system, apparatus, device, or propagation medium. More specific, although not inclusive, examples of the
15 computer-readable medium would include the following: an electrical connection having one or more wires, a portable computer diskette, a random access memory (RAM), a read-only memory (ROM), an erasable, programmable, read-only memory (EPROM or Flash memory), an optical fiber, and a portable compact disk read-only memory (CDROM). The computer-readable medium could even be paper or another suitable
20 medium upon which the program is printed, as the program can be electronically captured, via for instance, optical scanning of the paper or other medium, then compiled, interpreted, or otherwise processed in a suitable manner, if necessary, and then stored in a computer memory.

The functionality and operation of a preferred implementation of the
25 computer program is described below. In this regard, some of the described functionality may represent a module segment or portion of code of the computer program of the present invention which comprises one or more executable instructions for implementing the specified logical function or functions. In some alternative implementations, the functions described may occur out of the order described below.
30 For example, functionalities described in succession may in fact be executed substantially concurrently, or the functionalities may sometimes be executed in the reverse order depending upon the functionality involved.

The present invention can be used by any airline passenger who directly or indirectly reserves a flight with the operator of the host computer 12. A passenger first makes an airline reservation by accessing the host computer 12 directly or via one of the customer computer systems 24. The passenger may access the host computer 12 or systems 24 using one of the computer and/or communication devices 26 depicted in Fig. 1 or by any other conventional means. The passenger then makes an airline reservation in a conventional manner to create a passenger name record (PNR).

The host computer 12 or the customer computer system 24 accessed by the passenger next asks the passenger whether he or she wishes to be automatically notified of a flight status change. For example, the host computer 12 or system 24 may present a "Travel Alert" button that may be pressed by the passenger to indicate a desire to be notified of flight status changes. The host computer 12 or system 24 then presents a screen that prompts the passenger to enter contact information such as an e-mail address, a mobile phone number, or a pager number. This contact information is preferably added to the PNR created for the passenger. The host computer 12 then queues the PNR to a date-ranged queue using the scheduled date and time of departure or arrival of the flight as the queuing mechanism.

The host computer 12 periodically obtains updated flight status information including updated flight departure and arrival times from a reliable source. The updated flight departure and/or arrival times may be obtained from a number of sources including an FAA ASDI feed obtained directly from the FAA or a commercial reseller such as Flight.com. Other sources include MVS tapes obtained from the Official Airline Guide (OAG).

The host computer 12 accesses the date-ranged queue each day and compares the PNRs for flights scheduled that day to any updated flight departure or arrival times received from the FAA or other source. If the scheduled departure or arrival times for the flights vary from the updated departure or arrival times for the flights by a predetermined amount (e.g. 10-60 minutes), the host computer 12 automatically pushes flight status notification information to all passengers on the changed flights who indicated they wished to receive such information. The information is preferably pushed to the passengers' e-mail accounts, mobile digital phones, or pagers so that the passengers may learn about flight status changes as early as possible, thus allowing the passengers to modify their travel plans accordingly.

The notifications are preferably sent from the host computer 12 to the application messenger 28. The application messenger 28 supports an application notification table depicted in Fig. 3 that contains contact information for all the customer computer systems 24 connected with the host computer 12. When the host computer 12 determines that a flight status notification is to be sent to a passenger, it directs the application messenger 28 to transmit a generic XML message to the appropriate system 24. The customer computer systems 24 are then responsible for distributing the notifications to their passengers in a format that is appropriate for the passengers' computer and/or communication devices 26.

The above-described methodology of informing passengers of flight status changes requires the host computer 12 to access and analyze each and every PNR in the date-ranged queue regardless of whether the PNRs correspond to a flight that has been the subject of a flight status change. This places a substantial burden on the host computer 12 and therefore requires a significant amount of computing power.

In a preferred, alternative embodiment of the present invention, the date-ranged queue described above is replaced with a flight status table or database as depicted in Fig. 2. The flight status table is populated with information on all known flights departing within a predetermined period of time such as a 24-hour period. The flight status table preferably includes, for each known flight, columns for the flight number 30, the airport leg 32, the direction (depart or arrive) 34, the scheduled departure or arrival time 36, a new departure or arrival time 38, an estimated departure or arrival time 40, an actual departure or arrival time 42, a gate 44, a baggage claim area 46, and a date stamp 48 that indicates the last time the information in each row was updated.

The scheduled departure or arrival time column 38 merely lists the time a flight is scheduled to depart or arrive. The new departure or arrival time column 38 lists updated departure or arrival times received more than one day before the scheduled departure or arrival time. The estimated departure or arrival time column 40 lists updated departure or arrival times received on the same day as the scheduled time of departure or arrival. The information in the flight status table is preferably obtained from the same sources described in the first embodiment of the invention above.

The host computer 12, the OS/390 computer 14, and the gateway 20 populate the flight status table with the above described information. The information

in the flight status table is preferably continuously refreshed. Alternately, the information may be refreshed at varying times depending on how close a flight is from its scheduled departure or arrival time. For example, the information may be refreshed every 30 minutes if a flight is scheduled to depart or arrive in 8 hours or more, every 20 minutes if a flight is scheduled to depart or arrive in 4-8 hours, and every 10 minutes if a flight is scheduled to depart or arrive in less than 4 hours.

The host computer 12 continuously compares the scheduled times in column 36 to the new times in column 38 and flags the row or record corresponding to the flight if the new time varies from the scheduled time by a predetermined amount.

The amount of time required to cause a record to be flagged may be selected by the operator and is preferably between 10 and 60 minutes. The host computer 12 performs a similar comparison between the estimated times in column 40 and new times in column 38. Any variances between these times that exceed 10-60 minutes are also flagged.

The host computer 12 also periodically queries the flight status table to find all flagged records. The host computer 12 then automatically pushes flight status notifications to the passengers of flights corresponding to the flagged records by the same method as described in the first embodiment above. Because the host computer 12 only has to analyze flagged records rather than all the PNRs as with the first embodiment described above, the computing power required in the second embodiment of the invention is significantly less than the computing power required by the first embodiment.

From the foregoing description of a preferred embodiment of the present invention, those skilled in the art will appreciate that the present invention reduces the amount of time that travelers must wait at airports for delayed and/or cancelled flights and will therefore likely improve traveler satisfaction levels. The present invention also allows global airline distribution providers to provide a new and valuable service to their airline passengers and to therefore possibly gain more business.

Although the invention has been described with reference to the preferred embodiments illustrated in the attached drawing figures, it is noted that equivalents may be employed and substitutions made herein without departing from the scope of the invention as recited in the claims. For example, although the host computer 12 preferably sends flight status notifications to passengers indirectly through the customer

computer systems 24, the host computer 12 may also send such notifications directly to the passengers. Furthermore, although the present invention preferably uses either the flight status table depicted in Fig. 2 or the date-ranged queue methodology described in the first embodiment of the invention above to compare scheduled times of departure or arrival with changed times of departure or arrival, other methods of comparison may be used without departing from the scope of the present invention.

Having thus described the preferred embodiment of the invention, what is claimed as new and desired to be protected by Letters Patent includes the following:

CLAIMS:

1. A computer program stored on a computer-readable medium for operating a host computer, the computer program comprising:

a code segment for receiving a scheduled time of departure or arrival for an
5 airline flight;

a code segment for receiving an updated time of departure or arrival for the
airline flight;

a code segment for comparing the updated time of departure or arrival to the
scheduled time of departure or arrival for the flight; and

10 a code segment for automatically pushing notification information to at least one
passenger on the airline flight or to an agent of the passenger if the
updated time of departure or arrival varies from the scheduled time of
departure or arrival by a predetermined amount of time.

15 2. The computer program as set forth in claim 1, the notification
information including information relating to the updated time of departure or arrival for
the airline flight.

20 3. The computer program as set forth in claim 1, the predetermined
amount of time being between 10 - 60 minutes.

4. The computer program as set forth in claim 1, the predetermined
amount of time being approximately 30 minutes.

25 5. The computer program as set forth in claim 1, further including a code
segment for receiving passenger reservation information from an airline passenger or
an agent of the passenger, the passenger reservation information including information
about an airline flight the passenger is reserving.

6. A computer program stored on a computer-readable medium for operating a host computer, the computer program comprising:

a code segment for receiving and storing in a database scheduled times of departure or arrival for substantially all U.S. airline flights departing or arriving within a certain time;

a code segment for receiving and storing in the database any updated times of departure or arrival for the flights;

a code segment for comparing, for each of the flights, the scheduled time of departure or arrival to the updated time of departure or arrival;

a code segment for flagging records in the database corresponding to flights in which the updated times of departure or arrival vary from the scheduled times of departure or arrival by a predetermined amount of time; and

a code segment for periodically querying the database to locate all flagged records and pushing notification information to at least one passenger or an agent of the passenger on each flight corresponding to a record that has been flagged.

7. The computer program as set forth in claim 6, the notification information including information relating to the updated time of departure or arrival for the airline flight.

8. The computer program as set forth in claim 6, the predetermined amount of time being between 10 - 60 minutes.

9. The computer program as set forth in claim 6, the predetermined amount of time being approximately 30 minutes.

10. A computer program stored on a computer-readable medium for operating a host computer, the computer program comprising:

- a code segment for receiving passenger reservation information from an airline passenger, the passenger reservation information including a scheduled time of departure or arrival for a flight reserved by the passenger;
- a code segment for receiving contact information from the passenger;
- a code segment for queuing the passenger reservation information to a date-ranged queue using the scheduled time of departure or arrival of the flight;
- a code segment for receiving an updated time of departure or arrival for the flight;
- a code segment for accessing the date ranged queue and comparing the scheduled time of departure or arrival to the updated time of departure or arrival; and
- a code segment for automatically pushing notification information to the passenger or to an agent of the passenger via the contact information if the updated time of departure or arrival varies from the scheduled time of departure or arrival by a predetermined amount of time.

11. The computer program as set forth in claim 10, the notification information including information relating to the updated time of departure or arrival for the airline flight.

12. The computer program as set forth in claim 10, the predetermined amount of time being between 10 - 60 minutes.

13. The computer program as set forth in claim 10, the predetermined amount of time being approximately 30 minutes.

14. A method of notifying airline passengers of airline flight status changes, the method comprising the steps of:

receiving scheduled departure or arrival times of a plurality of airline flights and
storing the scheduled departure or arrival times in a computer-readable
memory;

receiving updated departure or arrival times for the airline flights and storing the
updated departure or arrival times in a computer-readable memory;

comparing the scheduled departure or arrival times to the updated departure or
arrival times; and

automatically pushing notification information to at least one passenger on an
airline flight if the updated departure or arrival time for the airline flight
varies from the scheduled departure or arrival time for the airline flight by
a predetermined amount of time.

15. The method as set forth in claim 14, the notification information
including information relating to the updated departure or arrival time for the airline flight.

16. The method as set forth in claim 14, the predetermined amount of time
being between 10 - 60 minutes.

17. The method as set forth in claim 14, the predetermined amount of time
being approximately 30 minutes.

ABSTRACT OF THE DISCLOSURE

A method, computer program, and system for automatically pushing flight status information to passengers and/or their agents whenever an airline flight is delayed, cancelled, or otherwise subject to a status change. The invention is implemented with a computer program that instructs a host computer operated by a global airline distribution provider. The computer program includes: a code segment for receiving and storing in a database scheduled times of departure or arrival for substantially all U.S. airline flights departing or arriving within a certain time; a code segment for receiving and storing in the database any updated times of departure or arrival for the flights; a code segment for comparing, for each of the flights, the scheduled time of departure or arrival to the updated time of departure or arrival; a code segment for flagging records in the database corresponding to flights in which the updated times of departure or arrival vary from the scheduled times of departure or arrival by a predetermined amount of time; and a code segment for periodically querying all flagged records and pushing notification information to at least one passenger or an agent of the passenger on each flight corresponding to a record that has been flagged.




FIG. 1.

FIG. 3.

APPLICATION NOTIFICATION TABLE	
APPLICATION	FTP SERVER
QPAX	153.45.56.55
INTEL	203.23.65.4
AIR MEDIA	40.45.75.153
ORBITZ	206.54.33.4
DATA DISTRIBUTION	45.66.175.5
TRIP MANAGER	193.61.44.6

FIG. 2.

30	32	34	36	38	40	42	44	46	48
FLIGHT STATUS TABLE									
FLT NBR	LEG	DEPART ARRIVE	SCHEDULE	NEW	ESTIMATED TIME OF DEPARTURE	ACTUAL TIME OF DEPARTURE	DC	GATE	BAG TIME
AA2856	PHX	D	0845				0	34	
	LAX	A	1014				0	D12	
AA2856	LAX	D	1105				0	C7	
	SFO	A	1225				0	12	
NW19	BOS	D	1135				0		
	MSP	A	1351				0		
NW19	MSP	D	1445				0		
	NRT	A	1655				1		
NW19	NRT	D	1815				1		
	SIN	A	1205				2		

As a below named inventor I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name, I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

METHOD, COMPUTER PROGRAM, AND SYSTEM FOR PUSHING FLIGHT INFORMATION TO PASSENGERS

the specification of which: (complete (a), (b) or (c) for type of application)

REGULAR OR DESIGN APPLICATION

(a) ☒ is attached hereto.

(b) ☐ was filed on as Application Serial No. and was amended on (if applicable).

PCT FILED APPLICATION ENTERING NATIONAL PHASE

(c) ☐ was described and claimed in International Application No. filed and as amended on (if any).

ACKNOWLEDGMENT OF REVIEW OF PAPERS AND DUTY OF CANDOR

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56(a).

☐ In compliance with this duty there is attached an information disclosure statement. 37 CFR 1.97.

PRIORITY CLAIM

I hereby claim foreign priority benefits under Title 35, United States Code, § 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed: (complete (d) or (e))

(d) ☒ no such applications have been filed.

(e) ☐ such applications have been filed as follows

EARLIEST FOREIGN APPLICATION(S), IF ANY FILED WITHIN 12 MONTHS PRIOR TO SAID APPLICATION

Country	Application No.	Date of Filing	Date of Issue	Priority Claimed
				<input type="checkbox"/> YES <input type="checkbox"/> NO
				<input type="checkbox"/> YES <input type="checkbox"/> NO
				<input type="checkbox"/> YES <input type="checkbox"/> NO

ALL FOREIGN APPLICATION(S), IF ANY FILED MORE THAN 12 MONTHS PRIOR TO SAID APPLICATION

PROVISIONAL

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States application(s) listed below:

Application Serial No.	Filing Date	Status (patented, pending, abandoned)
------------------------	-------------	---------------------------------------

CONTINUATION-IN-PART

(Complete This Part Only If This Is A Continuation-In-Part Application)

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose to the Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56(a), which became available between the filing date of the prior application and the national or PCT international filing date of the continuation-in-part application:

Application Serial No.	Filing Date	Status (patented, pending, abandoned)
------------------------	-------------	---------------------------------------

POWER OF ATTORNEY

As a named inventor, I hereby appoint the following attorney(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith:

Robert D. Hovey	19,223	Thomas B. Luebbering	37,874
Warren N. Williams	19,156	Andrew G. Colombo	40,565
Stephen D. Timmons	26,513	Scott R. Brown	40,535
John M. Collins	26,262	Tracy L. Bornman	42,347
Thomas H. Van Hoozer	32,761	Tracey S. Truitt	43,205

SEND CORRESPONDENCE TO:
THOMAS B. LUEBBERING
HOVEY, WILLIAMS, TIMMONS & COLLINS
2405 Grand, Suite 400
Kansas City, Missouri 64108

DIRECT TELEPHONE CALLS TO:

(816) 474-9050

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of sole or first inventor	PAUL J. MILLER		
Inventor's Signature			
Date	Country of Citizenship	United States of America	
Residence	2905 Hill Park Court, Marietta, GA 30062-1454		
Post Office Address	2905 Hill Park Court, Marietta, GA 30062-1454		
Full name of second joint inventor, if any	ASIT K. JENA		
Inventor's Signature			
Date	Country of Citizenship	United States	
Residence	690 Silver Peak Court, Suwanee, GA 30024-4025		
Post Office Address	690 Silver Peak Court, Suwanee, GA 30024-4025		